3 BASIC STYLES* SPEED-CLIP TRUCK WEIGHTS . . . do the whole job!

COMMERCIAL | CARGO | TRANSPORT | SPECIAL

WHEELS WITH TUBE TIRES

Using rim stock thickness as a guide

RIM STOCK THICKNESS	USE
Thin Guage	COMMERCIAL
Medium Guage	CARGO
Heavy Guage	TRANSPORT
Very Thin Guage	Note 1

Using tire size as a guide

TIRE SIZE	NORMALLY USE
18" & Under	COMMERCIAL
6.50-20 to 7.50-20	COMMERCIAL
8.25-20 to 9.00-20	CARGO
10.00-20 & Larger	TRANSPORT

Noting these special conditions

CONDITION	USE
Shallow Rim Flanges	COMMERCIAL
Shallow Side Rings	COMMERCIAL
Narrow Gutter Side Rings	COMMERCIAL
Tubular Side Rings	Note 2
Close Tie-Rod Ends	Note 3
Obsolete Firestone "R" Rims	Note 4

Note 1 — SPEED-CLIP Bulldog Series passenger car weights will fit any truck-type rim too thin or too shallow for "Commercial" Series.

Note 2 — Tubular Side Rings now obselete. If encountered, balance statically on rim flange.

Note 3 — International K-7 & R-180 and larger trucks (also Ford F-900) have tie-rod end clearance too close for any weight. Static balance (on side ring) only is recommended.

Note 4 — Side ring on this rim type (now obsolete, but formerly mfd. by Firestone and discontinued for new trucks shortly after World War II) cannot be fitted with SPEED-CLIP weights. If encountered, balance statically on rim flange.

WHEELS WITH TUBELESS* TIRES

Using rim stock thickness as a guide

RIM STOCK THICKNESS	USE
Thin Guage	COMMERCIAL
Heavy Guage	TRANSPORT

Using tire size as a guide

TIRE SIZE	NORMALLY USE
8.0 & Smaller	COMMERCIAL
9.0 to 10.0	TRANSPORT
11.0 & Larger	SPECIAL

Noting these special conditions

CONDITION	USE
Demountable Rims	SPECIAL

*All SPEED-CLIP truck weights are equipped with short clips for tubeless tires.

- Attractive
- Less Inventory
- Eliminates Confusion
- Cut-off Markers
- No Complicated Rim Guages

SPEED-CLIP MANUFACTURING DIVISION PLUMBIUM MFG. CORP. BRISTOL, TENNESSEE

*See separate sheet for special designs and applications.

SPEED-CLIP

BASIC STYLES
BUS & TRUCK

WHEEL BALANCE WEIGHTS

COMMERCIAL SERIES

Commercial

Made for thin truck-type rims and close clearances, the Commercial fits tube types up to 7.50-20 . . . tubeless types up to 8.0 . . . shallow side rings, other special conditions.

CLOSE-SPACED CLIP CLAMPS THIN RIM STEELS!

COMMERCIAL SERIES PACKAGING

Oz. Size	2	3	4	6	8
No. Per Box	12	12	12	12	12

CARGO SERIES

With medium-gap clip and large lead body, the Cargo neatly fits tube types from 8.25-20 to 9.00-20.

Cargo

MEDIUM-SPACED CLIP FOR IN-BETWEEN RANGE!

CARGO SERIES PACKAGING

Oz. Size	4	6	8	10	12
No. Per Box	12	12	12	12	12

TRANSPORT SERIES

Transport

Designed for the big ones, the Transport fits tube types 10.00-20 and larger . . . tubeless types in large sizes where Special Series is not required.

WIDE-SPACED CLIP ACCEPTS THICKEST RIM STEELS!

TRANSPORT SERIES PACKAGING

Oz. Size	2	3	4	6	8	10	12	14	16
No. Per Box	12	12	12	12	12	12	12	12	12

***See separate sheet for special designs and applications**

FOR NEW WHEELS NOW SMALLER 3 WAYS



SPEED-CLIP "14"

THE weight for 14 inch wheels

TO FIT THE NEW SMALLER DIAMETER



TO FIT THE NEW SMALLER HUBCAP CLEARANCE

THINNER



TO SEAT FULLY WITHIN THE NEW SHALLOWER FLANGE WELL

...AND SPEED-CLIP FITS THEM ALL-WAYS

SPEED CLIP

SPEED-CLIP MFG. DIV. PLUMBIUM MFG. CORP. BRISTOL, TENNESSEE

SPEED-CLIP PASSENGER CAR

WHEEL BALANCE WEIGHTS

SPEED-CLIP

14

SERIES

SPEED-CLIP "14"

Designed to fit the smaller diameter, lower flange height and shallower flange wells of the new 14 inch wheels.

Clears all wheel discs (hubcaps). When balancing with disc in place, weight will not strike disc or fail to seat . . . even on new Chevrolets or Fords where space is severely constricted. When balancing without disc, disc may be replaced without interference, eliminating any danger of loss of wheel covers while driving.

Fits entirely within shallower flange wells and will not protrude "outboard" of the rim lip at **any** point*.

Available up to 6 ounces, including **Quarter-Ounce Intermediate Sizes.**

SPEED CLIP "14" SERIES PACKAGING

Oz. Size	¼	½	¾	1	1¼	1½	1¾	2	2¼	2½
No. Per Box	50	50	50	50	50	50	50	50	50	50

Oz. Size	2¾	3	3¼	3½	3¾	4	4½	5	5½	6
No. Per Box	50	50	50	50	50	50	25	25	25	25

*On all sizes up through 4 oz. The 4½ to 6 oz. sizes will **not** protrude at clip and not more than 1/32" at any other point on **shallowest** flange.

DEALER PRICE SHEET

WEATHERLY
154

SPEED-CLIP WHEEL BALANCE WEIGHTS

Suggested Resale Prices to Dealers

INSERT THIS SHEET IN SALESMEN'S AND COUNTER CATALOGS

SPEED-CLIP "14" SERIES PASSENGER CAR WEIGHTS

THE Weight for 14 - inch Wheels

CARTON Size	SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE	A BROKEN BOX PRICE	B FULL BOX PRICE 1 - 4 BOXES	C 5 - 11 BOXES	D 12 or MORE BOXES
			PER WEIGHT	PER WEIGHT	"Buy the Box"	"Buy the Box"	"Buy the Box"
SMALL	¼ oz.	50	.13	.06½	$1.36	$1.25	$1.02
	½ oz.	50	.14	.07	1.79	1.64	1.47
	¾ oz.	50	.16	.08	2.20	2.03	1.82
	1 oz.	50	.17	.08½	2.62	2.40	2.16
MEDIUM	1¼ oz.	50	.19	.09½	3.15	2.89	2.60
	1½ oz.	50	.20	.10	3.71	3.40	3.06
	1¾ oz.	50	.22	.11	4.13	3.79	3.41
	2 oz.	50	.23	.11½	4.54	4.16	3.75
LARGE	2¼ oz.	50	.25	.12½	5.05	4.63	4.17
	2½ oz.	50	.26	.13	5.48	5.02	4.52
	2¾ oz.	50	.28	.14	5.88	5.39	4.85
	3 oz.	50	.29	.14½	6.30	5.78	5.20
	3¼ oz.	50	.31	.15½	6.72	6.16	5.55
	3½ oz.	50	.33	.16½	7.12	6.53	5.88
	3¾ oz.	50	.35	.17	7.57	6.94	6.24
	4 oz.	50	.37	.18½	8.13	7.45	6.71
	4½ oz.	25	.40	.20	4.67	4.28	3.86
	5 oz.	25	.43	.21½	5.07	4.65	4.19
	5½ oz.	25	.46	.23	5.48	5.02	4.52
	6 oz.	25	.50	.25	5.88	5.39	4.85

SP-1 SERIES WEIGHTS FOR 1958-64 CADILLAC; 1959-60 DESOTO, DODGE, 1959-64 LINCOLN

CARTON Size	SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE	A BROKEN BOX PRICE	B FULL BOX PRICE 1 - 4 BOXES	C 5 - 11 BOXES	D 12 or MORE BOXES
			PER WEIGHT	PER WEIGHT	"Buy the Box"	"Buy the Box"	"Buy the Box"
SMALL	½ oz.	25	.17	.08½	$1.50	$1.38	$1.24
	1 oz.	25	.22	.11	1.84	1.69	1.52
	1½ oz.	25	.26	.13	2.41	2.21	1.99
	2 oz.	25	.30	.15	2.91	2.67	2.40
	2½ oz.	25	.34	.17	3.41	3.13	2.82
MED.	3 oz.	25	.39	.19½	3.98	3.65	3.29

ASSORTMENT — NO. 2 - C

30 Assorted SP-1 Weights Packed in Attractive Clear Plastic Case

	No. 2-C	30			—	$4.42	—

SEE INSIDE FOR GREYHOUND, BULLDOG, EXTRA THIN, AND TRUCK WEIGHTS

DEALER PRICE SHEET

DECEMBER 1, 1963

WEATHERLY
154

SPEED-CLIP WHEEL BALANCE WEIGHTS

Suggested Resale Prices to Dealers

BULLDOG SERIES PASSENGER CAR WEIGHTS

A general purpose, regular type providing concentrated weight, minimum length

CARTON Size	SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE	A BROKEN BOX PRICE	B FULL BOX PRICE 1 - 4 BOXES	C 5 - 11 BOXES	D 12 or MORE BOXES
			PER WEIGHT	PER WEIGHT	"Buy the Box"	"Buy the Box"	"Buy the Box"
SMALL	½ oz.	50	.14	.07	$1.79	$1.64	$1.47
	1 oz.	50	.17	.08½	2.62	2.40	2.16
MEDIUM	1½ oz.	50	.20	.10	3.71	3.40	3.06
	2 oz.	50	.23	.11½	4.54	4.16	3.75
	2½ oz.	50	.26	.13	5.48	5.02	4.52
LARGE	3 oz.	50	.29	.14½	6.30	5.78	5.20
	3½ oz.	50	.33	.16½	7.12	6.53	5.88
	4 oz.	50	.37	.18½	8.13	7.45	6.71
	4½ oz.	25	.40	.20	4.67	4.28	3.86
	5 oz.	25	.43	.21½	5.07	4.65	4.19
	5½ oz.	25	.46	.23	5.48	5.02	4.52
	6 oz.	25	.50	.25	5.88	5.39	4.85

GREYHOUND SERIES PASSENGER CAR WEIGHTS

A streamlined "thin" type wheel weight

CARTON Size	SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE	A BROKEN BOX PRICE	B FULL BOX PRICE 1 - BOXES	C 5 - 11 BOXES	D 12 or MORE BOXES
			PER WEIGHT	PER WEIGHT	"Buy the Box"	"Buy the Box"	"Buy the Box"
SMALL	¼ oz.	50	.13	.06½	$1.36	$1.25	$1.02
	½ oz.	50	.14	.07	1.79	1.64	1.47
	¾ oz.	50	.16	.08	2.20	2.03	1.82
	1 oz.	50	.17	.08½	2.62	2.40	2.16
MEDIUM	1¼ oz.	50	.19	.09½	3.15	2.89	2.60
	1½ oz.	50	.20	.10	3.71	3.40	3.06
	1¾ oz.	50	.22	.11	4.13	3.79	3.41
	2 oz.	50	.23	.11½	4.54	4.16	3.75
LARGE	2¼ oz.	50	.25	.12½	5.05	4.63	4.17
	2½ oz.	50	.26	.13	5.48	5.02	4.52
	2¾ oz.	50	.28	.14	5.88	5.39	4.85
	3 oz.	50	.29	.14½	6.30	5.78	5.20
	3½ oz.	50	.33	.16½	7.12	6.53	5.88
	4 oz.	50	.37	.18½	8.13	7.45	6.71

DECEMBER 1, 1963

DEALER PRICE SHEET

WEATHERLY
154

SPEED-CLIP WHEEL BALANCE WEIGHTS

Suggested Resale Prices to Dealers

COMMERCIAL SERIES TRUCK WEIGHTS

SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE PER WEIGHT	C DEALER PRICE "Buy the Box"
2 oz.	12	.29	$2.25
3 oz.	12	.34	2.60
4 oz.	12	.40	3.10
6 oz.	12	.49	3.95
8 oz.	12	.58	4.75

CARGO SERIES TRUCK WEIGHTS

SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE PER WEIGHT	C DEALER PRICE "Buy the Box"
4 oz.	12	.40	$3.10
6 oz.	12	.49	3.95
8 oz.	12	.58	4.75
10 oz.	12	.67	5.50
12 oz.	12	.76	6.30

TRANSPORT SERIES TRUCK WEIGHTS

SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE PER WEIGHT	C DEALER PRICE "Buy the Box"
2 oz.	12	.29	$2.25
3 oz.	12	.34	2.60
4 oz.	12	.40	3.10
6 oz.	12	.49	3.95
8 oz.	12	.58	4.75
10 oz.	12	.67	5.50
12 oz.	12	.76	6.30
14 oz.	12	.85	7.10
16 oz.	12	.94	7.65

SPECIAL SERIES TRUCK WEIGHTS

SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE PER WEIGHT	C DEALER PRICE "Buy the Box"
2 oz.	12	.29	$2.25
3 oz.	12	.34	2.60
4 oz.	12	.40	3.10
6 oz.	12	.49	3.95
8 oz.	12	.58	4.75
10 oz.	12	.67	5.50
12 oz.	12	.76	6.30

SP-2 SERIES TRUCK WEIGHTS

SIZE	NUMBER WEIGHTS PER BOX	LIST PRICE PER WEIGHT	C DEALER PRICE "Buy the Box"
2 oz.	12	.35	$2.65
3 oz.	12	.39	3.00
4 oz.	12	.45	3.50
6 oz.	12	.55	4.35
8 oz.	12	.63	5.15

These truck weights will fit 1960-64 Chevrolet and GMC Trucks using tube type tires mounted on Kelsey-Hayes wheels with tubular side rings. Use on outside flange only. Do not use on any other vehicle.

CAUTION: This is a new version of the tubular side ring and cannot be fit by earlier weights known variously as rolled rim or K-H weights!

	MECHANICS' NET
P.D.Q. Weight Pliers	$5.75 ea.

SPEED CLIP

WHEEL BALANCE WEIGHTS

DEALER PRICE SHEET

DECEMBER 1, 1963

WEATHERLY
154

SPEED-CLIP WHEEL BALANCE WEIGHTS

Suggested Resale Prices to Dealers

A-B-C WEIGHTS

SIZE	NUMBER WEIGHTS PER BOX	D BOX OF 50 "Buy the Box"	D BOX OF 25 "Buy the Box"	D ASST. BOX "Buy the Box"
A-First	50 or 25	$1.59	$ .80	
B-Second	50 or 25	3.06	1.53	
C-Third	50 or 25	4.17	2.09	
Asst. 600-ABC	250A—250B—100C			31.58
Asst. 150-ABC	60A—60B—30C			8.09
A Special*	25		1.30	
B Special*	25		1.99	
C Special*	25		2.61	

*ABC sizes with special clips—see SP-1 Series (over) for applications

SPEED CLIP

WHEEL BALANCE WEIGHTS